



NorthSTAR User Manual

Upload Test Results

This function of NorthSTAR is not yet live.

As such the information in the attached user manual is subject to change while the function is being built.

The User Manual will no longer hold this disclaimer, or the *DRAFT* watermark once finalized.


Questions contact oilandgasinfo@nd.gov

Table of Contents

	Page
NorthSTAR Basic Functionality	3
Tour of Home Screen Navigation	
Search	
Home	
Explore Data	
Forms	
Maps	
Alerts	
Online Forms	
Forms in Progress	
Forms Submitted	
My Organization	
User Profile	
Required Information	
Greyed Out Fields/Dropdown Not Functioning	
Error Messages	
Completed Sections	
Information Tool Tip	
Picker Grids	
Advanced Filtering	
Gear Icon	
Grid Action	
Row Action	
Accordion Screen Function	
Column Sort	
Upload Test Results Global Fields and Functions	8
Step 1 Form Information	8
Step 2 Operator Information Form	10
Step 3 Test Subject Selection	11
Step 4 Test Details	12
Step 5 Document Upload	23
Step 6 Form Submit	24
Step 7 Confirmation	25
Step 8 Review Comments	25
Step 9 Review	25

NorthSTAR Basic Functionality

This section reviews basic functionality of all forms and tools available in NorthSTAR. Each manual includes this information to encourage proper understanding of all basic functions.



Tour of Home Screen Navigation – Once logged in; every operator will see the below home screen when logged into NorthSTAR:

Search - A quick search bar is available on your homepage in the upper right-hand corner. This search will apply to which ever selection you have made in the drop down to include: Organization Name, API, File Number, Bond Number, Last Name or First Name.

Home – Selecting the home image resets your browser window to the homepage; which will always open to Alerts.

Explore Data – Allows you to view data and information that you have entered or submitted through NorthSTAR. You can only view information under the organization that you are logged into.

Forms – Selecting “Forms” and then “Online Forms” will populate a grid listing all forms that you have security permissions to submit.

Maps – Will navigate over to the North Dakota Oil and Gas Division’s GIS Map Server.

Alerts – Alerts will show here for any actions that have been taken related to a form you have submitted or someone in your workgroup has submitted noting that the form has been approved, declined, or returned to you with edits needed.

Online Forms – Will show a listing of all forms that are available for you to submit based on your security permissions.

Forms in Progress – This page will show all forms in progress under your organization that you have security permissions to view. Forms in this section are still under your ability to edit or duplicated as they have not been submitted to the ND Oil and Gas Division yet. Note that forms in progress may have a default filter set to only view “Drafts” – Should you be looking for a form with a status of “Returned” or “Declined” you will need to clear/reset the features to see all forms.

Forms Submitted – This page will show all forms that have been submitted to the ND Oil and Gas Division for review or decision. Forms in this section you will no longer be able to edit or duplicate unless you request it to be returned to you. Check the advanced filters to ensure no default filter has been set in place if you are unable to find a specific form. You will only be able to view forms that you or your workgroup have submitted.

My Organization – This page will take you to the Organization Detail page for the organization you are currently logged in under. If you submit data for multiple entities you will need to log out, and log in again selecting the organization that you plan to submit data for.

User Profile – The User Profile line is telling you who you are currently logged in under and which company you are working under.

Required Information – Will be denoted by a red asterisk (*). The applicant is encouraged however to complete as many fields as possible. If there are sections you believe should be required or are unsure of what to enter contact the North Dakota Oil and Gas Division.

Greyed Out Fields/Dropdown Not Functioning – Fields that are greyed out or where the dropdown does not function are for portions of the form that the North Dakota Oil and Gas Division staff will populate once the form is submitted. In the case of Transfers, it is because another entity will need to log in and populate that information.

The screenshot shows a 'Well Information' form. At the top, there's a header bar with 'Well Information' and a '[Hide Form Navigation]' link. Below this, there are several fields: 'API:' (N/A), 'File No.:' (N/A), 'Field:' (N/A), 'Type of Well:' (Salt Water Disposal), and 'Type of Work:' (New Well - Horizontal). A note states: 'Please enter information on the proposed Well operation below. Grey highlighted fields are informational only.' To the right of this note is a red asterisk and the text '* Indicates Required Field'. Below the note, there are several fields: 'Associate Bond' (a dropdown menu), 'Associated Inspector' (a dropdown menu), 'Permit Fee' (a dropdown menu), 'Confidential Status *' (radio buttons for 'Yes' and 'No'), 'Proposed Start Date *' (a date picker), 'Well Name *' (a text input), and 'Well Number *' (a text input). A yellow box highlights the 'Associated Inspector' and 'Permit Fee' dropdown menus.

Figure 1: Image of Greyed out fields outlined in yellow.

Error Messages – You will receive an error message at the top of the page if information was missed or entered incorrectly. These messages are hyperlinked and will take you directly to the portion of the page once clicked. You may also receive an error message in the form of a red "X" next to the step you have completed under "Form Navigation". This can indicate information was entered incorrectly or information is missing from this section. Go back and correct the information to clear the error. You will not be able to submit the form until all mandatory sections and fields are completed adequately.

Completed Sections - When all fields and sections have been completed adequately, a green check mark "✓" will appear by each section under the "Form Navigation" banner. This will indicate that you may submit the application. Note that you *must* click the "Submit" button in order to properly complete a form.

Information Tool Tip – As shown in Figure 2 on the right, clicking on a tool tip will provide you with more information, entry tips, or other guidance on what is required for the selected field.

The screenshot shows a close-up of the 'Type of Work' and 'Type of Well' dropdown menus. Both dropdown menus have a yellow box around them, and each box contains a small information icon (a lowercase 'i' inside a circle).


Figure 2: Information tool tip outlined in yellow.

Picker Grids – Some forms require that you select wells from a grid and associate them with the form as shown in Figure 3 on the right. You can do this by searching for the well in the top grid (Step 1.). Select the wells you would like to include (Step 2.). Use the down arrow to drop selected wells into the form (Step 3.). Reverse these steps if you have selected the incorrect well to remove the well from the form.

Advanced Filtering – The advanced filtering feature as you can see in Figure 3 (Step 1.) to the right will show up in many locations in NorthSTAR such as forms in progress, finding wells, filtering wellbore information and anywhere else there is a table with the advanced filtering option.

TIP: Always open and select “Advanced Filtering” to see if any filters have been set as a default - specifically when viewing “Forms in Progress” or “Forms Submitted”.

Once open, any column can be filtered by typing all or portions of text into the filter box. Select the filter

icon “” to choose whether you would like the filter to be: equal to, not equal to, starts with, contains, does not contain, ends with, is null, it not null, is empty, is not empty, has no value, or has value.

Gear Icon - The gear icon located in the top of each grid on the right shown in Figure 3 (Step 1.) in this manual. This icon will show which columns are visible in the table. Open the gear icon and select which columns you would like to view to update as shown in Figure 4.

TIP: The table text does not shrink to fit. The more columns you choose the more difficult it may be to read the information. Use the export function if you would like to see full information details of all columns.



Figure 3: Picker Grid Guide showing advanced filtering (1), selection of wells (2), and selection arrows (3).




Figure 4: Gear Icon showing how to select more columns to view.

Grid Action – The “Actions” option in the grid is located on the top of each grid on the right shown in Figure 5 (1.) in this manual. Actions selected will affect all information in the grid below. Typical actions available would be; edit, add a person, export to excel, export to pdf, and many other options depending on the grid.

If exporting to excel or pdf: all information possible will be exported and you will need to re-filter the information once in excel.




Figure 5: Sample of what Grid Action vs Row Action looks like.

Row Action – Row actions allow for you to modify to edit information in a specific row but not impact the entire grid as shown in Figure 5 (2). Once you have added a line of information in the table or data and need to edit or take action you would select actions next to just the row you are interested in updating.

Accordion Screen Function – If you see a small arrow on any heading bar “ this will allow you to open and close sections of the form to streamline the information you are looking at. Click the arrow to open or close this section of data.




Figure 6: Image of Accordion Screen Function

Column Sort - Each column in a grid can be sorted in alphabetical order A-Z or Z-A or can be sorted from ascending to descending by clicking on the column header.

Upload Test Results: Global Fields and Functions

This section outlines fields and functions of pages that are common in all test types regardless of work type, and data input sections that are common in multiple work types.

Security Permissions

Access to upload test results is only available to those with the below security permissions.

- **NorthSTAR Admin** – Ability to Create, Read, Update, and Delete
- **Test Manager** – Ability to Create, Read, Update, and Delete
- **Test Submitter** – Ability to Create, Read, Update
- **Test Read Only** – Ability to Read

The NorthSTAR Admin is the only person who can view or edit security permissions.

To view Security Permissions:

- Click on My Organization
- Click on Associated People
- Click on the hyperlinked name of the person you would like to review
- Click on Summary
- Click on Security
- Check permissions that apply and click Save

TIP: Users with security permissions for a specific NorthSTAR form will be able to - at a minimum - read all forms in progress or submitted of that specific form type if they are affiliated with the Organization the form is being submitted under.

Step 1: Form Information

The Form Information page is used to collect organization, facility, test type, and a brief description of what the test is being submitted for.

Fields and Functions:

Form Name: Will default to the form you have selected in NorthSTAR.

Organization: Will default to the Organization that you are currently logged in as.

Test Subject: The type of facility the test applies to. *Note: Initially only the "Well" facility type will be available. During later releases of NorthSTAR additional facility types will be available.*

Test Type drop down: Select the test type that you are submitting information for. The following test types are available:

- Bottom Hole Pressure Test
- Drill Stem Test
- Fluid Level Test
- Gas Analysis Test
- Gas-Oil Ratio Test
- Oil Analysis Test
- Production Test
- Water Analysis Test

Description: A description of what the test is being submitted for. Use the format: *[Test Result Type] – [NDIC File Number] – [Well Name]*.

Form Information

[Hide Form Navigation]

Please complete all required fields below.

* Indicates Required Field

Form Name
Upload Test Results

Organization *

Test Subject *

☐ Well

Test Type *

Description (e.g. Test Type - File No. - Well Name) *

Cancel

Save & Continue

The Form Information Section

Step 2: Operator Information

The Operator Information page is used to designate contacts for the test.

By default, the person who is logged in and submitting the test will be displayed in the "Contacts" grid. By clicking the "Actions" button and selecting "Add Contact", additional contacts can be associated with the test.

Review the operator information displayed at the top of the form to ensure the correct organization has been selected.

Operator Information

[Hide Form Navigation]

Please confirm the correct Organization has been selected, and designate contact(s) with their correct role. By default, the form submitter is selected as a contact. * Indicates Required Field

Organization Name

Type of Organization

Organization Primary Address

Organization Primary Phone Number

Ext

Contacts

Advanced Filtering

Actions

Name ↑	Organization Pr...	Email	Role	Actions
Dan Jacobsen	(701) 328-8020	dejacobsen@nd.gov	Submitter	

The Operator Information Section

Step 3: Test Subject Selection

The Test Subject Selection grid is used to select the facility that the test applies to. The grid will pre-populate with facilities that are associated with the operator. Tests can only be submitted for one facility.

Select the facility the test applies to in the "Select Well" grid, click the down arrow beneath the grid, and the selected facility will display in the "Associated Well" grid. Only one facility can be selected at a time.

Test Subject Selection

[Hide Form Navigation]

Please use grid to select the record for which your Test Results are associated.

Select Well

Advanced Filtering

Actions

Search

	API ↑	File No.	Well Name	Well Type	Well Status	Field
<input type="radio"/>	3310502783	null	COLUMBIA FEDERAL 7-5H	Oil & Gas	Active	DOLLAR JOE
<input type="radio"/>	3310502784	null	COLUMBIA FEDERAL 6-5H	Oil & Gas	Active	DOLLAR JOE
<input type="radio"/>	3301101510	null	ERIC 22-24SH	Water Injection	Active	CEDAR HILLS
<input type="radio"/>	3302300888	null	HUNDSEID 1-8H	Oil & Gas	Active	UPLAND
<input type="radio"/>	3302501833	null	JENSEN 3-8H	Oil & Gas	Active	CHIMNEY BUTTE
<input type="radio"/>	3302501834	null	JENSEN 4-8H1	Oil & Gas	Active	CHIMNEY BUTTE
<input type="radio"/>	3302500825	null	DENNIS 44-8H	Oil & Gas	Active	CEDAR COULEE

1

2

3

4

5

6

7

8

9

10

...

20

items per page

Viewing 1 - 20 from 2407 results

▼

▲

Associated Well

Advanced Filtering

Actions

Search

	API	File No.	Well Name	Well Type	Well Status	Field
<input checked="" type="radio"/>	3302501833		JENSEN 3-8H	Oil & Gas	Active	CHIMNEY BUTTE

The Test Subject section with one well selected

Step 4: Test Details

The Test Details section is where the details of the specific test selected are inputted. Details on the use of common elements in the sundry forms will be outlined in section 2.



The red asterisk indicates required fields. However, please fill out the test as completely and to the best of your knowledge.

Test Details: Test Information

Fields and Functions

Actual Test Date

Pool Name

Formation

Comments

Test Information

Test Type
Bottom Hole Pressure Test

Actual Test Date *

Pool Name *

Formation

Comments

Test Information section is the same for all tests except for the default "Test Type".

Bottom Hole Pressure Test

Fields and Functions:

Datum

Depth (ft)

Bottom Hole Temp (Fahrenheit)

Gradient (psi/ft)

Tubing Pressure (psi)

Bottom Hole Pressure (psi)

Bottom Hole Pressure Test Details	
Datum *	Depth (ft) *
<input type="text"/>	<input type="text"/>
Bottom Hole Temp (°F)	Gradient (psi/ft) *
<input type="text"/>	<input type="text"/>
Tubing Pressure (psi)	Bottom Hole Pressure (psi)
<input type="text"/>	<input type="text"/>

Bottom Hole Pressure Test

Drill Stem Test

Fields and Functions:

Kelly Bushing Elevation (ft)

Top (ft)

Bottom (ft)

Bottom Hole Temp (Fahrenheit)

Chloride (ppm)

Hydrogen Sulfide (ppm)

Oil (cc)

Water (cc)

Gas (cc)

Mud (cc)


Resistivity of Water (Rw)

Resistivity of Water Temp

Gas Oil Ratio

API Gravity

API Gravity Temp (Fahrenheit)



The screenshot shows a web form titled "Drill Stem Test Details". The form contains various input fields for test data, organized in a grid-like fashion. The fields are as follows:

Drill Stem Test Details		
Kelly Bushing Elevation (ft)	Top (ft) *	Bottom (ft) *
<input type="text"/>	<input type="text"/>	<input type="text"/>
Bottom Hole Temp (°F)	Bottom Hole Pressure (psi)	
<input type="text"/>	<input type="text"/>	
Chloride (ppm)	Hydrogen Sulfide (ppm)	
<input type="text"/>	<input type="text"/>	
Oil (cc)	Water (cc)	Gas (cc)
<input type="text"/>	<input type="text"/>	<input type="text"/>
Mud (cc)	Resistivity of Water (Rw)	
<input type="text"/>	<input type="text"/>	
Resistivity of Water Temp (°F)	Gas Oil Ratio	
<input type="text"/>	<input type="text"/>	
API Gravity	API Gravity Temp (°F)	
<input type="text"/>	<input type="text"/>	

Drill Stem Test

Fluid Level Test

Fields and Functions:

Datum

Kelly Bushing Elevation (ft)

Density (ppg)

Annulus Pressure (psi)

Feet to Fluid

Feet of Fluid Above Datum

Bottom Hole Pressure (psi)

Fluid Level Test Details

Datum	Kelly Bushing Elevation (ft)
<input type="text"/>	<input type="text"/>
Density (ppg) *	Annulus Pressure (psi)
<input type="text"/>	<input type="text"/>
Feet to Fluid *	Feet of Fluid Above Datum
<input type="text"/>	<input type="text"/>
Bottom Hole Pressure (psi) *	
<input type="text"/>	

Fluid Level Test

Gas Analysis Test

Fields and Functions:

Source

Temp (Fahrenheit)

Pressure (PSI)

Top (ft)

Bottom (ft)

Nitrogen (MOL%)

Methane (MOL%)

Carbon Dioxide (MOL%)

Ethane (MOL%) & Ethane (GPM)

Hydrogen Sulfide (MOL%)

Propane (MOL% & GPM)

Isobutane (MOL% & GPM)

N-Butane (MOL% & GPM)

Isopentane (MOL% & GPM)

N-Pentane (MOL% & GPM)

Hexanes (MOL% & GPM)

Oxygen/Argon (MOL%)

Specific Gravity

BTU (Dry)

Helium (GPM & MOL%)

Gas Analysis Test Details

Source

Temp (°F)

Pressure (psi)

Top (ft)

Bottom (ft)

Nitrogen (MOL%)

Methane (MOL%)

Carbon Dioxide (MOL%)

Ethane (MOL%)

Ethane (GPM)

Hydrogen Sulfide (MOL%)

Propane (MOL%)

Propane (GPM)

Isobutane (MOL%)

Isobutane (GPM)

N-Butane (MOL%)

N-Butane (GPM)

Isopentane (MOL%)

Isopentane (GPM)

N-Pentane (MOL%)

N-Pentane (GPM)

Hexanes (MOL%)

Hexanes (GPM)

Oxygen/Argon (MOL%)

Specific Gravity *

BTU (Dry) *

Helium (GPM)

Helium (MOL%)

Gas Analysis Test

Gas Analysis Test

Fields and Functions:

Method

Duration (hrs)

Gas (mcf)

Oil (bbl)

Water (bbl)

Gas Oil Ratio

Gas-Oil Ratio Test Details

Method *

Duration (hrs) *

Gas (mcf) *

Oil (bbl) *

Water (bbl) *

Gas Oil Ratio

Gas-Oil Ratio Test

Oil Analysis Test

Fields and Functions:

Source

Top (ft)

Bottom (ft)

Specific Gravity

Specific Gravity Temp (Fahrenheit)

API Gravity

API Gravity Temp (Fahrenheit)

Salt (lbs)

Asphaltene (%)

Pour Point (Fahrenheit)


Kinematic Viscosity (cP)

Saybolt Viscosity (cP)

Sulfur (%)

BS&W

Paraffin (%)



The screenshot shows a web form titled "Oil Analysis Test Details". The form contains the following fields and labels:

- Source (dropdown menu)
- Top (ft) (text input)
- Bottom (ft) (text input)
- Specific Gravity (text input)
- Specific Gravity Temp (°F) (text input)
- API Gravity * (text input)
- API Gravity Temp (°F) * (text input)
- Salt (lbs) (text input)
- Asphaltene (%) (text input)
- Pour Point (°F) (text input)
- Kinematic Viscosity (cP) (text input)
- Saybolt Viscosity (cP) (text input)
- Sulfur (%) (text input)
- BS&W (text input)
- Paraffin (%) (text input)

Oil Analysis Test

Production Test

Fields and Functions:

Prod Method

Pool 2 Name

Duration (hrs)

Choke (in/64)

Oil (bbls)

Water (bbls)

Gas (MCF)

Oil Gravity

Gas Oil Ratio

Flowing Tubing (psi)

Flowing Casing (psi)

Bottom Hole Pressure (psi)

Chlorides (ppm)


Hydrogen Sulfide Concentration (ppm)

Bottom Hole Temp (Fahrenheit)

24-Hour Oil (bbls)

24-Hour Water (bbls)

24-Hour Gas (MCF)



The screenshot shows a web form titled "Production Test Details". The form contains various input fields for production data, organized in a grid-like structure. The fields are as follows:

Production Test Details			
Prod Method *	Pool 2 Name	Duration (hrs)	
<input type="text"/>	<input type="text"/>	<input type="text"/>	
Choke (in/64)	Oil (Bbls)	Water (Bbls)	Gas (MCF)
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Oil Gravity	Gas Oil Ratio	Flowing Tubing (psi)	
<input type="text"/>	<input type="text"/>	<input type="text"/>	
Flowing Casing (psi)	Bottom Hole Pressure (psi)		
<input type="text"/>	<input type="text"/>		
Chlorides (ppm)	Hydrogen Sulfide Concentration (ppm)		
<input type="text"/>	<input type="text"/>		
Bottom Hole Temp (°F)			
<input type="text"/>			
24-Hour Oil (Bbls)	24-Hour Water (Bbls)	24-Hour Gas (MCF)	
<input type="text"/>	<input type="text"/>	<input type="text"/>	

Production Test

Water Analysis Test

Fields and Functions:

Source

Top (ft)

Bottom (ft)

Res, Ohm-Meter

Res Temp (Fahrenheit)

pH

Specific Gravity

Specific Gravity Temp (Fahrenheit)

Hydrogen Sulfide

Total Dissolved Solids (mg/L)

Sodium Chloride (mg/L)

Calcium (mg/L)

Magnesium (mg/L)

Sodium (mg/L)

Iron (mg/L)

Chromium (mg/L)

Barium (mg/L)

Potassium (mg/L)

Chlorides (mg/L)

Carbonate (mg/L)

Bicarbonate (mg/L)

Sulfate (mg/L)

Nitrate (mg/L)

Lithium (mg/L)

Hydroxide (mg/L)

Water Analysis Test Details		
Source <input type="text"/>	Top (ft) <input type="text"/>	Bottom (ft) <input type="text"/>
Res, Ohm-Meter <input type="text"/>	ResTemp (°F) <input type="text"/>	pH <input type="text"/>
Specific Gravity <input type="text"/>	Specific Gravity Temp (°F) <input type="text"/>	
Hydrogen Sulfide <input type="text"/>	Total Dissolved Solids (mg/L) <input type="text"/>	
Sodium Chloride (mg/L) <input type="text"/>	Calcium (mg/L) <input type="text"/>	
Magnesium (mg/L) <input type="text"/>	Sodium (mg/L) <input type="text"/>	Iron (mg/L) <input type="text"/>
Chromium (mg/L) <input type="text"/>	Barium (mg/L) <input type="text"/>	Potassium (mg/L) <input type="text"/>
Chlorides (mg/L) <input type="text"/>	Carbonate (mg/L) <input type="text"/>	Bicarbonate (mg/L) <input type="text"/>
Sulfate (mg/L) <input type="text"/>	Nitrate (mg/L) <input type="text"/>	Lithium (mg/L) <input type="text"/>
Hydroxide (mg/L) <input type="text"/>		

Water Analysis Test

Step 5: Document Upload

Used to upload documents applicable to the work being done, documents to support a test, etc.

At the top of the grid, click the "Actions" button and select "Add New". Follow the instructions on the input form.

Attaching a New Document:

1. At the top of the grid, click the "Actions" button and select "Add New".
2. Click the circle by the "Upload New Document" statement for new attachments.
3. Choose to either have the attachments marked "Internal Only" or "Request Confidentiality" or both by clicking the box next to either statement.
4. Type: From the pull-down menu, you may choose from an assortment of document types
 - Photo
 - Supporting Document
 - Test Results
5. Relevant Date: Input the date of the submittal of the application.
6. Description: Input any additional description for the attachment.
7. Filename (Attaches the document):
 - First, click the "Browse" in order to navigate to the desired attachment.
 - Next, click the desired attachment inside the pop-up window.
 - Then, click the "Open" button.
 - Wait for the attachment to download.
 - Lastly, click the "Upload" button in the "Document Upload" pop-up window.
8. Once all attachments have been uploaded, click "Save" at the bottom of the page.

Attaching a document Existing in NorthSTAR

1. Click the circle by the "Associate Existing NorthSTAR Document" in order to utilize attachments that have been stored in NorthSTAR.
2. Document ID: From the pull-down menu, choose the appropriate attachment to upload.
 - 10089 - Bond Information Form Snapshot ((Same for all forms – APD, org, etc -ER))
 - 10226 - Affidavit of Mailing - Land Owner Notification ((Same for all forms -ER))
 - (Or does the Doc ID populate with all existing doc, hence these 2 will always show?)
3. Click "Upload".
4. Once all attachments have been uploaded, click "Save" at the bottom of the page.

Document Upload

[Hide Form Navigation]

Select documents to be uploaded, if applicable. Click Add New and complete all required fields to upload a document.

Uploaded Documents

Advanced Filtering

Actions

Search

Upload ...	Upload...	Type	Descrip...	Filename	Docum...	Docum...	Actions
------------	-----------	------	------------	----------	----------	----------	---------

The Document Upload section

Step 6: Form Submit

Test form submittal to the Oil and Gas Division.

Click the checkbox next to the statement "I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete." Click "Preview Submission Summary" to review the form, and then click "Submit".

The screenshot shows the 'Form Submit' interface. At the top, there's a header 'Form Submit' with a '[Hide Form Navigation]' link. Below the header, a text prompt says 'Associate related online form submissions to this submission by entering the Form ID or Form Description.' This is followed by a 'Comments' section with a table and an 'Actions' dropdown. The table is empty, and the pagination shows '0' items per page. Below the table is an 'Add' button. The 'Acknowledgement' section contains a 'Submitter' field with the value 'Internal User Dan Jacobsen', a 'Date Received' field with the value '10/31/2019', and a checkbox labeled 'I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.' which is checked. At the bottom, the 'Form Submit Preview' section includes a button labeled 'Preview Submission Summary'.

The Form Submit Section

Step 7: Confirmation

Once submitted you will be taken to the "Confirmation" page which will indicate the form was successfully submitted or will indicate an error if there was a problem with the submission. Your form will be assigned a number that will be shown in **BOLD** text.

The screenshot shows the 'Confirmation' page for Form ID: 709. On the left is a 'Form Navigation' sidebar with a list of steps: 1. Form Information, 2. Organization, 3. People, 4. Document Upload, 5. Form Submit, 6. Confirmation (highlighted in blue), 7. Review Comments, 8. Reviewer Fields, and 9. Review. Steps 2 through 4 have green checkmarks. The main content area has a blue header 'Confirmation' with a '[Hide Form Navigation]' link. Below the header is a green-bordered box containing a green checkmark icon and the text: 'Your Organization Questionnaire form **709** has been submitted successfully. Once approved, an email providing initial login instructions will be sent to newly created NorthSTAR users.' At the bottom center of the page is an orange 'Close' button.

Step 8: Review Comments

This information is to be completed by internal Oil & Gas Division Staff.

Step 8: Review

This information is to be completed by internal Oil & Gas Division Staff.